




tandriemschijven voor klembussen H  
*poulies dentées à moyeu amovible type H*  
**H 150** stap / pas 1/2" (12,7 mm)  
**38,1 mm** riembreedte / largeur



16F



17F



20

code	type	Z*	klembus moyeu	max. boring alésage max.	dp	de	Df	Dm	Di	F	L	R	flens nr. n° de flasque	Kg
TL 18 H 150	16F	18	1210	32	72,77	71,39	79	-	52	45,0	25,0	20,0	313	0,60
TL 19 H 150	16F	19	1210	32	76,81	75,44	83	-	56	45,0	25,0	20,0	314	0,72
TL 20 H 150	16F	20	1210	32	80,85	79,48	87	-	60	45,0	25,0	20,0	315	0,83
TL 21 H 150	16F	21	1210	32	84,89	83,52	91	-	64	45,0	25,0	20,0	316	1,00
TL 22 H 150	16F	22	1210	32	88,94	87,56	93	-	67	45,0	25,0	20,0	317	1,25
TL 23 H 150	16F	23	1610	42	92,98	91,61	97	-	70	45,0	25,0	20,0	318	1,05
TL 24 H 150	16F	24	1610	42	97,02	95,65	103	-	73,5	45,0	25,0	20,0	320	1,10
TL 25 H 150	16F	25	1610	42	101,06	99,69	106	-	77	45,0	25,0	20,0	321	1,30
TL 26 H 150	16F	26	1610	42	105,11	103,73	111	-	82	45,0	25,0	20,0	322	1,42
TL 27 H 150	16F	27	1610	42	109,15	107,78	115	-	85	45,0	25,0	20,0	323	1,65
TL 28 H 150	16F	28	1610	42	113,19	111,82	119	-	90,5	45,0	25,0	20,0	325	1,88
TL 30 H 150	16F	30	1610	42	121,28	119,90	127	-	98	45,0	25,0	20,0	327	2,05
TL 32 H 150	17F	32	1610	42	129,36	127,99	135	90	106	45,0	25,0	20,0	328	2,35
TL 36 H 150	17F	36	1610	42	145,53	144,16	152	92	121	45,0	25,0	20,0	334	3,20
TL 40 H 150	17F	40	1610	42	161,70	160,33	168	92	138	45,0	25,0	20,0	338	4,10
TL 44 H 150	17F	44	2012	50	177,87	176,50	184	106	152	45,0	32,0	13,0	339	4,50
TL 48 H 150	17F	48	2012	50	194,04	192,67	200	106	169	45,0	32,0	13,0	342	4,80

materiaal: staal / matériau: acier

TL 60 H 150	20	60	2012	50	242,55	241,18	-	106	223	46,0	32,0	7,0	-	4,51
TL 72 H 150	20	72	2012	50	291,06	289,69	-	106	270	46,0	32,0	7,0	-	6,16
TL 84 H 150	20	84	2012	50	339,57	338,20	-	106	320	46,0	32,0	7,0	-	7,40
TL 96 H 150	20	96	2517	60	388,08	386,71	-	119	366	46,0	45,0	0,5	-	9,87
TL120H 150	20	120	2517	60	485,10	483,73	-	119	462	46,0	45,0	0,5	-	13,5

materiaal: gietijzer / matériau: fonte

Z\*: aantal tanden / nombre de dents